



PROFESSIONAL SERIES

M8

8-INPUT MIDI MERGER

OPERATING INSTRUCTIONS

MIDI Solutions M8 Operating Instructions M420-100

© 2012 MIDI Solutions Inc. All rights reserved.


MIDI Solutions Inc.
PO Box 3010
Vancouver, BC Canada
V6B 3X5

www.midisolutions.com

INTRODUCTION

Thank you for purchasing the MIDI Solutions M8 8-input MIDI Merger.

The MIDI Solutions M8 can merge up to eight MIDI inputs to a single MIDI output, and can be chained together with additional units to merge as many MIDI inputs as required. The MIDI Solutions M8 is MIDI-powered and requires no batteries or power supply to operate.



CONNECTIONS

Connect the MIDI Outs or Thrus of the sending MIDI devices to the MIDI inputs (**In1** through **In8**) of the M8. Connect the MIDI **Out** of the M8 to the MIDI In of the receiving MIDI device. Power is provided to the M8 by the device that is connected to In1, if a device does not provide power it can be connected to In2 - In8. It is recommended that the number of MIDI Solutions products chained together between any two MIDI devices be limited to four.

OPERATION

The M8's MIDI Indicator LED will light as soon as the sending device is turned on, and flashes whenever MIDI data passes through the unit. All MIDI messages appearing at the MIDI inputs are merged to the MIDI output.

WARRANTY

MIDI Solutions Inc. warrants this product to be free from defects in material and workmanship for a period of one (1) year from date of purchase. This warranty is void if the product has been damaged by accident, misuse, alteration, unauthorized repairs or other causes not arising out of defects in material or workmanship. Under no circumstances will MIDI Solutions be liable for any loss of profits, benefits, time, interrupted operation, commercial loss, or consequential damages arising out of the use or inability to use the product. MIDI Solutions specifically disclaims any implied warranties of merchantability and fitness for a particular purpose. If the product requires service, a Return Merchandise Authorization (RMA) number must be obtained from MIDI Solutions and the product must be shipped prepaid to a specified Service Center. MIDI Solutions will repair or replace the product at our discretion and will pay return shipping fees. The customer is responsible for any damage or loss sustained during shipment in any direction.